



PRECISION AG TUTORIAL

RTK SECURITY KEY INTO THE FM-750 (CFX-750)

FROM THE RUN SCREEN SELECT THE SETTINGS TAB (WRENCH ICON)




SELECT THE GPS TAB (SATELLITE ICON)




SELECT THE GPS SETUP TAB



SELECT THE RTK TAB, AND THEN PRESS THE GREEN ARROW TO CONTINUE.



SELECT TRIMBLE RADIO, AND THEN PRESS THE GREEN ARROW TO CONTINUE.



PRESS THE SECURE RTK KEY TAB, AND THEN SELECT THE GREEN ARROW TO CONTINUE.

RTK Settings



In order for the radio to connect to the base station, you must complete the following settings.


If you are uncertain which settings to use, contact your local dealer.

Radio Network Number 13

SecureRTK Keys


SecureRTK Keys Status






YOU WILL SEE THE WARNING SCREEN BELOW. NOTE: YOU WILL NEED TO OBTAIN A SECURE RTK KEY FROM YOUR NETWORK PROVIDER. PRESS THE GREEN ARROW TO CONTINUE.


SecureRTK Keys



To receive RTK corrections from a SecureRTK network you will need to obtain a SecureRTK key from your network provider.

Use the following wizard to enter and edit your SecureRTK keys.





CHOOSE THE SECURE RTK KEY YOU WOULD LIKE TO ENTER, EDIT OR DELETE. YOU MAY ENTER UP TO 5 DIFFERENT KEYS TO HAVE ACCESS TO 5 SEPARATE RTK NETWORKS. PRESS THE GREEN ARROW TO CONTINUE.

SecureRTK Key Edit



Choose the SecureRTK key you want to edit.


Key 1

Key 2

Key 3

Key 4





ENTER THE PROVIDED SECURE RTK KEY; THIS IS CASE SENSITIVE SO IT MUST BE ENTERED AS IT WAS GENERATED.(SEE EXAMPLE BELOW) ENTER THE SECURE RTK DESCRIPTION. (SEE EXAMPLE BELOW)

Enter SecureRTK Key

DJDPBYQ3JLPYDOUS

QWERTYUIOP
ASDFGHJKL
abc ZXCVBNM
123

Enter SecureRTK Description


PFITZER 13

qwertyuiop
asdfghjkl
ABC zxcvbnm
123


IF THE SECURE RTK KEY IS VALID FOR YOUR RECEIVER, THEN YOU SHOULD THE FOLLOWING MESSAGE. IF YOU SEE THE YELLOW SCREEN, PLEASE DOUBLE CHECK THE SECURE RTK KEY THAT YOU ENTERED FOR ACCURACY OR CONTACT YOUR DEALER FOR A NEW KEY. PRESS THE GREEN CHECKMARK TO CONTINUE.

SecureRTK Keys




The SecureRTK key has been entered successfully.


You now have access to the SecureRTK network.



SecureRTK Keys



The SecureRTK key entered is not valid.



PRESS THE SECURE RTK KEY STATUS TO VERIFY THE STATUS OF ALL SECURE RTK KEYS.

RTK Settings




In order for the radio to connect to the base station, you must complete the following settings.

If you are uncertain which settings to use, contact your local dealer.

Radio Network Number 13


SecureRTK Keys

SecureRTK Keys Status

THE FOLLOWING SCREEN WILL SHOW THE CURRENT EXPIRATION DATE FOR THE SPECIFIED KEY. IF YOUR KEY HAS EXPIRED, PLEASE CONTACT YOUR DEALER FOR A NEW SUBSCRIPTION.

SecureRTK Keys Status		?
Key 1	DJDPBYQ3JLPYDOUS	^
Description	PFITZER 13	
Expiry Date	Never Expires	
Key 2	N/A	
Description	N/A	
Expiry Date	N/A	
Key 3	N/A	
Description	N/A	
Expiry Date	N/A	
Key 4	N/A	v



BY LOOKING AT THE STATUS SCREEN ON THE CFX-750 RUN SCREEN YOU WILL NOW BE ABLE TO SEE THAT THE UNIT IS ENABLED FOR RTK, IS RECEIVING AN RTK SIGNAL WITH A 1-2 SECOND CORRECTION AGE.

